

From: [Rodgers-Smith, Delores](#)
To: [Hudson, Tammi B \(EEC; danny.anderson@ky.gov; Nielsen, Jamie N \(EEC; tony.hatton@ky.gov; Edward.Winner@ky.gov](#)
Cc: [Anderson, Meredith; Adams, Kelly; Rollins, Rhonda; McMillan, Laura; Huggins, Richard; Behan, Frank; Hillyer, Kirsten; Anderson, Lydia; Zapata, Cesar; Torres, Ramon](#)
Subject: CCR 103 Demonstration - East Kentucky Power Cooperative- H.L. Spurlock Station
Date: Tuesday, October 13, 2020 11:50:29 AM
Attachments: [image001.png](#)

Dear Tammi Hudson,

I hope you and your family are doing well during these challenging times and congratulations on your new position at KDEP. On July 29, 2020, the Administrator signed a final rule revision of the CCR regulations. Among other things, the final rule establishes new alternative closure provisions at Sections 257.103(f)(1) and (f)(2) for a facility that cannot cease receipt of waste by April 11, 2021. On August 28, 2020, the final rule was published in the *Federal Register* (85 FR 53516). On September 9, 2020, during our R4 CCR Update call, EPA Headquarters provided CCR Part A training and informed you that a facility in Kentucky had reached to them requesting an extension.

On October 7, 2020, EPA Headquarters received a demonstration from East Kentucky Power Cooperative, Inc. (EKPC) for H.L. Spurlock Station for the use of 257.103(f)(1) for Spurlock Surface Impoundment. EPA is currently evaluating the demonstration for completeness. Once EPA completes this review, the facility will be notified that their demonstration is either complete or incomplete.

If the demonstration is found to be incomplete, the facility will receive a letter/email describing the deficiencies of the demonstration. They will be allowed to correct the demonstration and submit a new demonstration by November 30, 2020.

If the demonstration is found to be complete, the deadline to cease receipt of waste will be tolled until EPA reaches a final decision on the demonstration. EPA will propose a decision on the demonstration and will provide a 15 to 30-day public comment period. EPA encourages the state to review the demonstration and provide comments during this time. After EPA addresses any significant comments, EPA will issue a final determination.

EPA is maintaining a table of all submitted demonstrations and the current review status of the demonstrations at <https://www.epa.gov/coalash/ccr-part-implementation>. If you have any questions or concerns, please contact me or Davy Simonson at 202-510-0392 Simonson.davy@epa.gov.

Sincerely,

Dee Smith

Dee Rodgers-Smith

Chief, RCRA Programs and Permitting
US Environmental Protection Agency
Land, Chemicals and Redevelopment Division
61 Forsyth Street
Atlanta, GA 30303

Office (404) 562-8688
Cell (404) 683-4836
rodgers-smith.delores@epa.gov

LCRD: Protecting human health and the environment through responsible waste management, effective chemical safety, and collaborative redevelopment of contaminated land.

Guiding Values: Customer Service, Innovation, Integrity, National Leadership, Ownership, and Partnerships



www.epa.gov/50

#EPAat50